

RESPONSE
SN 09/585,263
PAGE - 4 of 12 -

Amendments to the Claims

Please consider the claims as follows:

1. (Currently amended) A method for providing a channel information window overlaying a broadcast video, the method comprising:
transmitting a broadcast video presentation from a server to a terminal;
transmitting a bitmap for [the] a channel information window from [a] the server system to [a] the terminal;
receiving at the terminal a signal to activate the channel information window; and
overlaying [at the terminal] the bitmap for the channel information window over the broadcast video on a display associated with the terminal.
2. (original) The method of claim 1, wherein transmitting the bitmap for the channel information window is performed via an out-of-band channel.
3. (Currently amended) The method of claim 1, wherein transmitting the bitmap for the channel information window comprises:
encoding at the server [system] the bitmap for the channel information window to generate an encoded bitmap;
transmitting the encoded bitmap to the terminal;
receiving at the terminal the encoded bitmap;
decoding at the terminal the encoded bitmap to regenerate the bitmap for channel information window.
4. (Cancelled)
5. (Currently amended) A method for navigating between TV channels, the method comprising:

BEST AVAILABLE COPY

298792-1

RESPONSE
SN 09/585,263
PAGE - 5 of 12 -

transmitting broadcast video displays on multiple TV channels from a server to a terminal;

transmitting a channel information window having information about multiple channels from the server to the terminal;

[providing a] overlaying the channel information window [overlaying] on a broadcast video display on a display;

navigating among channels within the channel information window by selecting information about another channel; and

changing the broadcast video display in synchronization with the navigating among channels [within the channel information window].

6. (Cancelled)

7. (Currently amended) The method of claim [6] 5, wherein changing the broadcast video display is accomplished by changing [which] video packet [stream] streams [is being decoded and presented].

8. (Currently amended) The method of claim 5, wherein navigating among channels occurs using a special button on a remote control [to loop through a series of channels].

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.